

## **Installing Legitronic Labeling Software 3.5.X**

Today's powerful enterprise grade PC's come loaded with Microsoft's Windows XP Professional operating system, or at the very least Microsoft Windows 2000 Professional. Legitronic Labeling Software version 3.5 was designed with these multi-tasking, multi-user professional (as opposed to home versions) operating systems in mind.

## What You Will Need

- Windows 2000 Professional or Windows XP Professional Home editions are not supported
- A license key (dongle)
- Administrative privileges over the PC on which you're installing Legi
- \* An ODBC compliant database (MS Access, SQL, etc) and its associated ODBC driver

\* Only if your formats require database interaction

## Install Legitronic Labeling Software

- 1. Plug your license key (dongle) into the parallel or USB port
- 2. Log into Windows using an account with administrative privileges.
- 3. Place the Legitronic Labeling Software CD in the CD ROM drive and let it start. Choose the option to install as a Single User Hardware Key. (Figure 1)



Figure 1

4. After Legi is installed, go to the Windows Program Group that the installation created and run the Sentinel Installer program. (Figure 2a-b)



## Install New Printer Drivers

- 5. Log into Windows using an account with administrative privileges.
- 6. Open the Printers area of Windows. (Figure 3)





7. Click the Add a Printer link and follow the Add a Printer Wizard instructions. (Figure 4)

Add Printer Wizard			
	Welcome to the Add Printer Wizard		
	This wizard helps you install a printer or make printer connections.		
	<ul> <li>If you have a Plug and Play printer that connects through a USB port (or any other hot pluggable port, such as IEEE 1394, infrared, and so on), you do not need to use this wizard. Click Cancel to close the wizard, and then plug the printer's cable into your computer or point the printer toward your computers infrared port, and turn the printer on. Windows will automatically install the printer for you.</li> <li>To continue, click Next.</li> </ul>		
	< Back Next > Cancel		

Figure 4

8. Choose the Local Printer option, but UNCHECK the setting that allows Windows to detect Plug and Play devices. (Figure 5)



Figure 5

9. Direct the printer to the port where it is installed. (Figure 6) NOTE: If using a networked printer contact your Network Administrator.

Add Printer Wizard
Select a Printer Port Computers communicate with printers through ports.
Select the port you want your printer to use. If the port is not listed, you can create a new port.
Use the following port: LPT1: (Recommended Printer Port)
IPT1: (Recommended Printer Port)     IPT1: (Recommended Printer Port)     The connector for this p     IPT3: (Printer Port)     OMLI: Genal Port)     COMLI: Genal Port     COMLI: Genal Port)     COMLI: Genal Port     COMLI: Genal Po
< Back Next > Cancel

Figure 6

10. Click the Have Disk button when the list of manufacturers and printers on the Install Printer Software window comes up. (Figure 7)

Add Printer Wizard	
Install Printer Software The manufacturer and model deter	mine which printer software to use.
Select the manufacturer and mo disk, click Have Disk. If your pri com, tible printer software.	del of your printer. If your printer came with an installation nter is not listed, consult your printer documentation for
Manufacturer Toshiba Unisys Varityper Wang Weber Marking Systems	Vers Zebra Z4M Plus 300 Weber Zebra Z4M Plus 300 Weber Zebra 26M Plus 203 Weber Zebra 26M Plus 300 Weber Zebra 90XIII
A This driver is not digitally sign Tell me why driver signing is importan	ed! Windows Update Have Disk
	Figure 7

11. Click the Browse button on the Install from Disk window. (Figure 8)



Figure 8

Browse to C:\Program Files\Weber Marking Systems\Legitronic Labeling Software\Printer Drivers\Windows-NT-2000-XP\English folder. (Figure 9)



Figure 9

12. Double-click on WeberNT.inf. (Figure 10)



Figure 10

13. Click OK on the Install from Disk window. (Figure 11)

Install Printer Software The manufacturer and model determine which printer software to use.
Install From Disk  Cancel  Ma To: Un Vai
Insert the manufacturer's installation disk, and then OK make sure that the correct drive is selected below. Cancel
Company de activação da companya de la compa
C Copy indicacture sines roun.  C. Program Files/Weber Marking Systems/Legitron  Browse  Browse
< Back Next > Cancel

Figure 11

- 14. Scroll through the list of printers and highlight the model to install. (Figure 12)
- 15. Click Next. (Figure 12)

**NOTE:** If asked to replace or keep the existing driver, choose replace.

Add Printer Wizard	
Install Printer Software The manufacturer and model determine (	which printer software to use.
Select the manufacturer and model of disk, click Have Disk. If your printer is compatible printer software.	your printer. If your printer came with an installation not listed, consult your printer documentation for
Printers	<b>A</b>
Weber Zebra Z4M Plus 300	
Weber Zebra Z6M Plus 203	_
Weber Zebra Z6M Plus 390	
Weber Zebra 90XiIII	
Wabar Zabra 96Vill	<u> </u>
This driver is not digitally signed. Tell me why driver signing is important	Windows Update Have Disk
	< Back Next > Cancel

Figure 12

- Continue through the Add a Printer Wizard.
   Choose No to Default Printer, Share Printer and Print a Test Page. (Figure 13a, b, c)

Add Printer Wizard		Ì	Add Printer Wizard	
Name Your Printer You must assign a name to this printer.	Ø		Printer Sharing You can share this printer	with other network users.
Type a name for this printer. Because some programs do n name combinations of more than 31 characters, it is best to possible. Printer name: WeberZebra S0XIII Do you want to use this printer as the default printer? ○ Yes ○ No	ot support printer and server a keep the name as short as		If you want to share this pr suggested name or type a users. C Do not share this print C Share name:	inter, you must provide a share name. You can use the new one. The share name will be visible to other network ar
< Back	Next > Cancel			< Back Next > Cancel
Figure 13a	Add Printer Wizard Print Test Page To confirm that the printer is i Do you want to print a test pa C Yes No	Pigure ISD Installed properly, you can print a t	est page.	Figure 13
		< Back	Next > Cancel	

18. Click Finish to complete the Add Printer Wizard. (Figure 14)

Add Printer Wizard		
	Comple Wizard	ting the Add Printer
	You have suc You specified	ccessfully completed the Add Printer Wizard. I the following printer settings:
	Name:	Weber Zebra 90XiIII
	Share name:	<not shared=""></not>
	Port	COM1:
	Model:	Weber Zebra 90XiIII
	Default:	No
	Test page:	No
	To close this	wizard, click Finish.
		< Back Finish Cancel

Figure 14

19. Choose Continue Anyway to the Windows Certification warning.(Figure 15)



Figure 15

- 20. Right-click on the newly installed printer.
- 21. Choose Properties from the quick-pick menu. (Figure 16)



Figure 16

22. Click on the Ports tab.(Figure 17)

Weber Ze	bra 90YiTTI Pron	ortios		2 X
S weber ze	ога зохин гтор	ci lies		<u></u>
Devic	e Settings	Fonts	G	iraphics
General	Sharing	Ports	Advanced	Security
	Weber Zebra 90	XIII		
Location:	J			
Comment:				
	I			
Model:	Weber Zebra 90>	(iII)		
- Features				
Color: No	1	Paper av	ailable:	· ·
Double-s	ided: No			<u>^</u>
Staple: U	Inknown			
Sneed: L	Inknown			
Mavirouro	resolution: 300 dr			<b>T</b>
Maximum	ricsolucion, 500 up	· ,·		
	D.i.			P
	Prin	ung Preference		eschage
	Γ	0K	Cancel	Apply
		UN		- Andre
		Figure 17		

23. **Uncheck** the Enable Bidirectional Support option (near the lower left) UNLESS your printer is USB enabled. (Figure 18)

🍓 Weber Zeb	ra 90XiIII Pro	perties			? ×
Device General	e Settings Sharing /eber Zebra 90Xi ollowing port(s). [	Ports	onts Adva will print to t	Gra anced   ne first free	aphics Security
Port LPT1: LPT2: LPT3: COM2 COM3 COM4 COM4	Description Printer Port Printer Port Printer Port Serial Port Serial Port Serial Port	F	Printer	, 90×iIII	
Add F	idirectional support	Delete P	'ort	Configure	e Port
	[	OK	Ca	ancel	Apply

Figure 18

**NOTE:** If you need to make changes to your port settings click on the Configure Port button. (Figure 19a, b) Ask your IS department if such changes are needed. (The recommended COM1 settings are shown)

🖢 Weber Zeb	ra 90XiIII Proj	perties		<u>? ×</u>
Device General	Settings Sharing	Fonts Ports	Advanced	Graphics
🍓 w	eber Zebra 90Xil	11		
Print to the fo	ollowing port(s). E t.	)ocuments will	print to the first fre	e
Port	Description	Print	er	<u> </u>
LPT1:	Printer Port			
LPT2:	Printer Port			
LPT3:	Printer Port			
🗌 🗆 сом2:	Serial Port			
🛛 🗆 сомз:	Serial Port			
🗌 🗆 сом4:	Serial Port			
COM1:	Serial Port	Web	er Zebra 90XiIII	<b>-</b>
Add P	ort	Delete Port	Config	ure Port
Enable pr	inter pooling	/		
	[	ОК	Cancel	Apply



Figure 19a

24. Click on the Device Settings tab. (Figure 20)

邊 Weber Zeb	ra 90XiIII Pr	operties				? ×
Device General	Settings Sharing	I Ports	Fonts	) Advanced	Graphics Sec	urity
🍓 w	'eber Zebra 900	×iIII				
Print to the fo	ollowing port(s). t.	Document	ts w <sup>e</sup> l pri	nt to the first	t free	
Port	Description		Printer	•		
LPT1:	Printer Port					
LPT2:	Printer Port					
LPT3:	Printer Port					
СОМ2:	Serial Port					
🗆 сомз:	Serial Port					
СОМ4:	Serial Port					
🛛 🗹 СОМ1:	Serial Port		Weber	Zebra 90Xil	II	-
Add P	ort	Delete	Port	Cor	nfigure Port.	
🔲 Enable bi	idirectional sup	port				
🔲 Enable pi	rinter pooling					
		Close		Cancel	Ap	ply

Figure 20

25. Click on the Properties button for the Setup Label Size option. (Figure 21)

≽ Weber Zebra 90XiIII Properties 🤶	×
General Sharing Ports Advanced Security Device Settings Fonts Graphics	
Weber Zebra 90XIIII Device Settings           Setup Label size         Properties           Cutter: Cutter not installed	
Close Cancel Apply	
Figure 21	

26. Change the label settings from the existing values to 20 inches by 20 inches, (Figure 22a, b) and click OK.

Figure 22a

Figure 22b

27. Click Close to finish setting up your printer. (Figure 23)



Your Legitronic Labeling software is installed and ready to use.

If you have any questions about the material covered in this document, please call Labeling Systems at 847.364.8500 ext 773