

Product name : SDBLK3

Date Prepared : 20.03.2015

SDS Number : 15A021

Version : 8.1

Revision Date : 04.12.2023

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1. Product identifier**

Product name : SDBLK3

UFI Code : TTGA-GVKP-7206-RAGK

(Germany, Italy, Czech Republic, Netherlands, Belgium, Austria, Slovenia only.)

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use : Ink for ink jet printer

#### **1.3. Details of the supplier of the safety data sheet**

Company : Weber Marking Systems GmbH

Maarweg 33; 53619 Rheinbreitbach; Germany

Telephone : +49 (0)2224 77080

Telefax : +49 (0)2224 770820

E-mail address : info@webemarking.de

#### **1.4. Emergency telephone number**

24-hour-Emergency-Telephone-Number (Company/Contract ID code: "BSU")

**+1 872 5888271 (BSU)**

### **SECTION 2: Hazards identification**

#### **2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008

Flammable liquids, Category 2

H225: Highly flammable liquid and vapour.

Serious eye damage/eye irritation, Category 1

H318: Causes serious eye damage.

Specific target organ toxicity - single exposure,  
Category 3

H336: May cause drowsiness or dizziness.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

#### **2.2. Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention : P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Response : P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Storage : P403+P233+P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.

#### **2.3. Other hazards**

Not a PBT, vPvB substance as per the criteria of the REACH Ordinance.

# SAFETY DATA SHEET

according to Regulation (EC) 1907/2006 as amended

Product name : SDBLK3

Date Prepared : 20.03.2015

SDS Number : 15A021

Version : 8.1

Revision Date : 04.12.2023

## Endocrine Disruptor Information

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Components

Chemical name	wt. %	CAS No. EC No.	REACH Registration No.	Classification (EC) No 1272/2008	SCL, M-factor, ATE
Ethanol	< 65	64-17-5 200-578-6	01-2119457610- 43-xxxx	Flam. Liq. 2; H225	-
1-Propanol	< 20	71-23-8 200-746-9	01-2119486761- 29-xxxx	Flam. Liq. 2; H225 Eye Dam. 1; H318 STOT SE 3; H336	-
Dyestuff	< 10	117527-94-3 403-720-7	-	Aquatic Chronic 2; H411	-
Acetone	< 2.5	67-64-1 200-662-2	-	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	-
1-Butanol	< 1.5	71-36-3 200-751-6	-	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335, H336	-

For full text of H-statements, see SECTION 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- General advice : When symptoms persist or in all cases of doubt seek medical advice.
- Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- Skin contact : Wash thoroughly with soap and plenty of water while removing all contaminated clothes. If skin irritation or rash occurs: Get medical advice/attention.
- Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to remove. Continue to rinse for at least 15 minutes. Get medical attention immediately.
- Ingestion : Wash mouth with water and seek medical advice immediately. Do not induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>), Dry chemical, Alcohol-resistant foam, Water spray.
- Unsuitable extinguishing media : Do not use water jet.

# SAFETY DATA SHEET

according to Regulation (EC) 1907/2006 as amended

Product name : SDBLK3

Date Prepared : 20.03.2015

SDS Number : 15A021

Version : 8.1

Revision Date : 04.12.2023

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides, nitrogen oxides will form in fire.

## 5.3. Advice for firefighters

Special protective equipment for firefighters : Wear suitable protective suit and self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear appropriate personal protective equipment as specified in section 8.

### 6.2. Environmental precautions

Environmental precautions : Do not release into soil, sewers, river, or the public water courses.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : In the case of a cartridge: Not applicable.

At the time of the leakage of contents: Absorb or cover with dry earth, sand or other non-combustible material and transfer to sealable containers. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### 6.4. Reference to other sections

Refer to Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling : Prohibition of dropping and throwing. Put on appropriate personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Do not breathe vapours. Use only in a well-ventilated area. Keep away from fire, sparks and heated surfaces. Take precautionary measures against electrostatic discharges.

Hygiene measures : When using do not eat or drink. Wash hands thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Do not store ink in high or freezing temperature. Keep away from heat and direct sunlight. Do not store ink with acids, oxidizing agents or explosives. Keep containers tightly closed in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

Specific use(s) : No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational Exposure Limits

Components	CAS No.	TWA	STEL	Country
Ethanol	64-17-5	-	1000 ppm	Italy
1-Propanol	71-23-8	100 ppm	-	Italy
Acetone	67-64-1	500 ppm, 1210 mg/m <sup>3</sup>	1000 ppm, 2420 mg/m <sup>3</sup>	European Union
1-Butanol	71-36-3	20 ppm	-	Italy

# SAFETY DATA SHEET

according to Regulation (EC) 1907/2006 as amended

Product name : SDBLK3

Date Prepared : 20.03.2015

SDS Number : 15A021

Version : 8.1

Revision Date : 04.12.2023

## Derived No-Effect Level (DNEL)

Components	Type	Exposure routes	Value	Potential health effects
Ethanol	Workers	Inhalation	380 mg/m <sup>3</sup>	Systemic effects - Long-term
			1900 mg/m <sup>3</sup>	Local effects - Short term
	Workers	Dermal	343 mg/kg	Systemic effects - Long-term

## Predicted No-Effect Concentrations (PNECs)

Components	Environmental protection target	Value
Ethanol	Freshwater	960 µg/L
	Marine water	790 µg/L
	Intermittent releases (freshwater)	2.75 mg/L
	Sewage treatment plant	580 mg/L
	Freshwater sediment	3.6 mg/kg sediment dw
	Marine sediment	2.9 mg/kg sediment dw

## 8.2. Exposure controls

- Appropriate engineering controls : Adequate ventilation should be provided so that exposure limits are not exceeded.
- Personal protective equipment
- Eye/face protection : Safety glasses with side-shields. Goggles.
  - Hand protection : Impermeable gloves.
  - Skin and body protection : Protective suit, Safety shoes.
  - Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
  - Thermal hazards : Not available
- Environmental exposure controls : Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Colour : Black
- Odour : Alcohol odour
- Melting point/freezing point : No data available
- Boiling point or initial boiling point and boiling range : No data available
- Flammability : No data available
- Lower and upper explosion limit : No data available
- Flash point : 12.0 °C (Closed Cup)
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- pH : No data available
- Kinematic viscosity : No data available
- Dynamic viscosity : 2.2 - 2.6 mPa·s (25 °C)
- Solubility : Insolubility
- Partition coefficient n-octanol/water (log value) : No data available
- Vapour pressure : No data available
- Density and/or relative density : 0.84 (25 °C)
- Relative vapour density : No data available
- Particle characteristics : No data available

# SAFETY DATA SHEET

according to Regulation (EC) 1907/2006 as amended

Product name : SDBLK3

Date Prepared : 20.03.2015

SDS Number : 15A021

Version : 8.1

Revision Date : 04.12.2023

## 9.2. Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions with proper storage and handling.

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions with proper storage and handling.

### 10.4. Conditions to avoid

High temperature, heat, sparks, flames and other sources of ignition. Oxidizing condition.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Carbon oxides, nitrogen oxides will form in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	(rat) 6200 mg/kg	(rabbit) LDLo 20000 mg/kg	(rat) 63000 ppm/4 h
1-Propanol	(rat) 5400 mg/kg	(rabbit) 4060 mg/kg	No data available
Acetone	(rat) 5800 mg/kg	(rabbit) >7400 mg/kg	(rat) 32000 ppm/4 h
1-Butanol	(rat) 2510 mg/kg	(rabbit) 3402 mg/kg	(rat) 8000 ppm/4 h

Skin corrosion/irritation	:	Not classified based on available information. 1-Propanol (rabbit) 72 h; Slight 1-Butanol (rabbit) 405 mg/24 h; Moderate
Serious eye damage/eye irritation	:	Causes serious eye damage. 1-Propanol (rabbit) 72 h; Severe 1-Butanol (rabbit) 1.62 mg; Severe
Respiratory or skin sensitisation	:	No data available
Germ cell mutagenicity	:	No data available
Carcinogenicity	:	No data available
Reproductive toxicity	:	No data available
STOT-single exposure	:	May cause drowsiness or dizziness.
STOT-repeated exposure	:	No data available
Aspiration hazard	:	No data available

### 11.2. Information on other hazards

Endocrine disrupting properties	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other hazards	:	No further relevant information available.

# SAFETY DATA SHEET

according to Regulation (EC) 1907/2006 as amended

Product name : SDBLK3

Date Prepared : 20.03.2015

SDS Number : 15A021

Version : 8.1

Revision Date : 04.12.2023

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

Ecotoxicity

Components	Species	Value
Ethanol	Fish (Pimephales promelas)	LC50 (96 h) >100 mg/L
	Crustacea (Ceriodaphnia)	LC50 (48 h) 5012 mg/L
1-Propanol	Fish (Pimephales promelas)	LC50 (96 h) >804 mg/L
Dyestuff	Fish	LC50 2.0 mg/L

### **12.2. Persistence and degradability**

Biodegradability : Dyestuff Not readily biodegradable.

### **12.3. Bioaccumulative potential**

No data available

### **12.4. Mobility in soil**

No data available

### **12.5. Results of PBT and vPvB assessment**

Not applicable

### **12.6. Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **12.7. Other adverse effects**

No further relevant information available.

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

Product : Dispose of waste material in accordance with local, state and federal pollution regulations.  
Contaminated packaging : When disposing of an empty container, dispose after removing contents materials completely. Dispose of this material and its container according to your country law.

## **SECTION 14: Transport information**

### **14.1. UN number or ID number**

ADR/RID : UN1210  
IMDG : UN1210  
ICAO-TI/IATA-DGR : UN1210

### **14.2. UN proper shipping name**

ADR/RID : Printing Ink  
IMDG : Printing Ink  
ICAO-TI/IATA-DGR : Printing Ink

### **14.3. Transport hazard class(es)**

ADR/RID : Class 3  
IMDG : Class 3  
ICAO-TI/IATA-DGR : Class 3

# SAFETY DATA SHEET

according to Regulation (EC) 1907/2006 as amended

Product name : SDBLK3

Date Prepared : 20.03.2015

SDS Number : 15A021

Version : 8.1

Revision Date : 04.12.2023

## 14.4. Packing group

ADR/RID : II  
IMDG : II  
ICAO-TI/IATA-DGR : II

## 14.5. Environmental hazards

ADR/RID : No  
IMDG : No

## 14.6. Special precautions for user

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

(EC) No 1907/2006 (REACH)

Annex XIV (Authorisation) : Not regulated

Annex XVII (Restrictions on use) : Not regulated

Germany

Water hazard class : WGK 2: Water endangering

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Indication of changes

Issue Date : 04.12.2023

Version : 8.1

Revision information : Change of SECTION 1.

Abbreviations and acronyms

ADR : Agreement concerning the International Carriage of Dangerous Goods by Road  
CAS : Chemical Abstracts Service  
CLP : Classification, Labelling and Packaging  
DNEL : Derived No Effect Level  
EC : European Community  
EU : European Union  
GHS : Globally Harmonized System  
IARC : International Agency for Research on Cancer  
IATA : International Air Transport Association  
IBC : Intermediate Bulk Container  
ICAO-TI : Technical Instructions for the Safe Transport of Dangerous Goods by Air  
IMDG : International Maritime Dangerous Goods  
LC50 : Lethal Concentration 50%  
LD50 : Lethal Dose 50%  
OEL : Occupational Exposure Limit  
PBT : Persistent, Bioaccumulative and Toxic  
PNEC : Predicted No Effect Concentration  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

# SAFETY DATA SHEET

according to Regulation (EC) 1907/2006 as amended

Product name : SDBLK3

Date Prepared : 20.03.2015

SDS Number : 15A021

Version : 8.1

Revision Date : 04.12.2023

---

RID : Regulation Concerning the International Transport of Dangerous Goods by Rail  
STEL : Short Term Exposure Limit  
STOT : Specific Target Organ Toxicity  
TLV : Threshold Limit Value  
TWA : Time Weighted Average  
UN : United Nations  
vPvB : Very Persistent and Very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1907/2006 (REACH), amended by (EU) 2020/878

Regulation (EC) No 1272/2008 (CLP)

ECHA: Information on Chemicals

3E Insight for Chemicals

SDS of raw material manufacturer

#### Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

#### Full text of any H-statements not written out in full under Sections 2 to 15

H225 : Highly flammable liquid and vapour.  
H226 : Flammable liquid and vapour.  
H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.  
H336 : May cause drowsiness or dizziness.  
H411 : Toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

#### Training advice

General occupational hygiene training recommended.

#### Further information

Disclaimer : The information contained herein is based on the current knowledge. This Safety Data Sheet is intended to describe our products in correctness of safety requirements. It should not therefore be construed as guaranteeing specific properties. The data applies to only usual handling.